

**IN THE CLAIMS:**

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~striketrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please CANCEL claims 17-23 and AMEND claim 12 in accordance with the following:

1. (PREVIOUSLY PRESENTED) An optical pickup actuator, comprising:  
a blade with an objective lens;  
a plurality of suspensions coupled at one end to the blade and fixed at another end to a holder, provided at one side of a base, such that the suspensions movably support the blade;  
a focusing coil member and a tracking coil member installed on the base, separated from each other; and  
a single magnet member installed on the blade between the focusing coil member and the tracking coil member,  
wherein the focusing coil member, the tracking coil member and the single magnet member are installed on one side of the objective lens.
2. (CANCELLED)
3. (PREVIOUSLY PRESENTED) The optical pickup actuator of claim 1, further comprising a pair of tilt driving coil members.
4. (PREVIOUSLY PRESENTED) The optical pickup actuator of claim 3, wherein the pair of tilt driving coil members are installed under the focusing coil member.
- 5-6. (CANCELLED)
7. (ORIGINAL) The optical pickup actuator of claim 1, wherein the magnet member is a surface polarization magnet.
8. (PREVIOUSLY PRESENTED) The optical pickup actuator of claim 1, wherein the

focusing and tracking coil members are Fine Pattern Coils (FPCs).

9. (PREVIOUSLY PRESENTED) An optical recording and/or reproducing apparatus, comprising:

an optical pickup having an actuator for driving an objective lens, and movably installed in a radial direction of a recording medium, and records and/or reproduces information to/from the recording medium; and

a controller controlling a focusing servo and a tracking servo of the optical pickup, wherein the optical pickup actuator includes:

a blade with an objective lens;

a plurality of suspensions coupled at one end to the blade and fixed at another end to a holder, provided at one side of a base, such that the suspensions movably support the blade;

a focusing coil member and a tracking coil member installed on the base, separated from each other; and

a single magnet member installed on the blade between the focusing coil member and the tracking coil member,

wherein the focusing coil member, the tracking coil member and the single magnet member are installed on one side of the objective lens.

10. (CANCELLED)

11. (PREVIOUSLY PRESENTED) The optical recording and/or reproducing apparatus of claim 9, further comprising a pair of tilt driving coil members.

12. (CURRENTLY AMENDED) The optical recording and/or reproducing apparatus of claim ~~40~~ 11, wherein the pair of tilt driving coil members are installed under the focusing coil member.

13-14. (CANCELLED)

15. (ORIGINAL) The optical recording and/or reproducing apparatus of claim 9, wherein the magnet member is a surface polarization magnet.

16. (PREVIOUSLY PRESENTED) The optical recording and/or reproducing

Serial No. 10/720,744

apparatus of claim 9, wherein the focusing and tracking coil members are Fine Pattern Coils (FPCs).

17-23. (CANCELLED)